



Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

**Complete if Known**

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

<b>Application Number</b>	10/629,424
<b>Filing Date</b>	July 29, 2003
<b>First Named Inventor</b>	Frieder Braunschweig et al.
<b>Group Art Unit</b>	3736
<b>Examiner Name</b>	Unknown
<b>Attorney Docket Number</b>	P10978.00

Sheet	1	of	2
-------	---	----	---

## U.S. PATENT DOCUMENTS

[illegible]

Please type a plus sign (+) inside this box — ☐


PTO/SB/08A (08-00)

Approved for use through 10/31/2002. OMB 0651-0031  
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)		<i>Complete if Known</i>			
		Application Number	10/629,424		
		Filing Date	July 29, 2003		
		First Named Inventor	Frieder Braunschweig et al.		
		Group Art Unit	3736		
		Examiner Name	Unknown		
Sheet	2	of	2	Attorney Docket Number	P-10978.00

FOREIGN PATENT DOCUMENTS								
Examiner Initials*	Cite <sup>1</sup> No.	Foreign Patent Document		Kind Code <sup>2</sup> (if known)	Name of Patentee of Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T <sup>3</sup>
		Office <sup>3</sup>	Number <sup>4</sup>					

OTHER PRIOR ART — NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite <sup>1</sup> No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
		CAZEAU et al., "Effects of Multisite Biventricular Pacing in Patients with Heart Failure and Intraventricular Conduction Delay", <i>N Engl J Med</i> , 2001; 344:873-80.	
		ABRAHAM et al., "Cardiac Resynchronization in Chronic Heart Failure", <i>N Engl J Med</i> , 2002; 346:1845-53.	
		RITTER et al., "Determination of the Optimal Atrioventricular Delay in DDD Pacing. Comparison Between Echo and Peak Endocardial Acceleration Measurements", <i>Europace</i> , 1999; 1:126-30.	
		CHEVALIER et al., "The Importance of the Left Atrioventricular Interval During Atrioventricular Sequential Pacing", <i>Pacing Clin Electrophysiol</i> , 1997; 20:2958-66.	
		OHLSSON et al., "Continuous Ambulatory Haemodynamic Monitoring with an Implantable System. The Feasibility of a New Technique", <i>Eur Heart J</i> , 1998; 19:174-84.	
		MAGALSKI et al., "Continuous Ambulatory Right Heart Pressure Measurements with an Implantable Hemodynamic Monitor: A Multicenter, 12-Month Follow-Up Study of Patients with Chronic Heart Failure", <i>J Card Fail</i> , 2002; 8:63-70.	
		BRAUNSCHWEIG et al., "Continuous Haemodynamic Monitoring During Withdrawal of Diuretics in Patients with Congestive Heart Failure", <i>Eur Heart J</i> , 2002; 23:59-69.	
		BRAUNSCHWEIG et al., "Continuous Hemodynamic Monitoring in Heart Failure", <i>J Cardiovasc Electrophysiol</i> , 2002; 13:S68-72.	
		RITTER, "Indications for Permanent Pacing and Choice of Pacemaker", In: Fischer W, Ritter P, eds. <i>Cardiac Pacing in Clinical Practice</i> . Berlin, Heidelberg, New York:Springer Verlag, 1998:166-202.	
		OHLSSON et al., "Monitoring of Pulmonary Arterial Diastolic Pressure Through a Right Ventricular Pressure Transducer", <i>J Card Fail</i> , 1995; 1:161-8.	
	CHUANG et al., "Measurement of Pulmonary Artery Diastolic Pressure from a Right Ventricular Pressure Transducer in Patients with Heart Failure", <i>J Card Fail</i> , 1996; 2:41-6.		

Examiner Signature		Date Considered	8/31/06
-----------------------	---	--------------------	---------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw Line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

<sup>1</sup> Unique citation designation number.

<sup>2</sup> See attached Kinds of U.S. Patent Documents.

<sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard SL3).

<sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

<sup>5</sup> Kind of document by the appropriate symbol as indicated on the document under WIPO Standard ST. 16 if possible.

<sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

<sup>7</sup> Unique citation designation number.

<sup>8</sup> Applicant is to place a check mark here if English language translation is attached.